

# SAFETY DATA SHEET

## 1. Identification of the substance or mixture and of the supplier

### Product identifier

**Product Family:**

**Thermoforming Sheet**

### Additional identification

**Chemical name:**

**Polyurethane**

This SDS covers all alphanumeric suffixes for the following product models. Suffixes designate sheet dimension and w/o surface protection film.

**Product model:** M-LA-100

### Recommended use and restriction on use

**Recommended use:**

**Oral care appliances**

**Restrictions on use:**

**None identified.**

### Details of the supplier of the safety data sheet

#### Supplier

**Company Name:**

**Shanghai  
MaxflexMedicalTechnologyCo.,Ltd.**

**Address:**

**1169YuanquRD,  
AntingTown,  
JiadingDistrict  
Shanghai,China**

**Telephone:**

**+8621-59560800**

**Emergency telephone number:**

**+8621-59560800**

## 2. Hazards identification

### Classification of the substance or mixture

**Prepared according to Global Harmonized System (GHS) standards.**

### GHS Classification

**This product is not hazardous in the form in which it is shipped by the manufacturer.**

### GHS Label Elements

**Signal word:**

**Warning**

**Hazard statements:**

**If fine particles are generated during further processing, handling or by other means, product may form combustible dust concentrations in air.**

**Other hazards which do not result in GHS classification:**

**None identified.**

## 3. Composition/Information on Ingredients

### Mixtures

| Chemical name            | CAS number  | Percent by Weight |
|--------------------------|-------------|-------------------|
| Polyurethane             | Proprietary | > 98%             |
| Nonhazardous ingredients | Proprietary | < 2%              |

#### 4. First aid measures

##### Description of first aid measures

|  |  |
|--|--|
| <b>Inhalation:</b>                                   | Remove exposed person to fresh air if adverse effects are observed.  |
| <b>Eye contact:</b>                                  | If hot melted material should splash into the eyes, flush eyes immediately with water for 15 minutes while holding the eyelids open. Immediately call a poison center or doctor. Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.   |
| <b>Skin Contact:</b>                                 | Wash skin thoroughly with soap and water. If skin irritation or rash occurs: Get medical attention. Launder contaminated clothing before reuse. For contact with molten product, do not remove contaminated clothing. Flush skin immediately with large amounts of cold water. If possible submerge area in cold water. Pack with ice. Do not attempt to peel polymer from skin. Seek medical attention immediately. |
| <b>Ingestion:</b>                                    | Treat symptomatically. Get medical attention.  |
| <b>Personal Protection for First-aid Responders:</b> | When providing first aid always protect yourself against exposure to chemicals or blood born diseases by wearing gloves, masks and eye protection. After providing first aid wash your exposed skin with soap and water.   |

**Most important symptoms and effects, both acute and delayed:** See section 11

##### Indication of any immediate medical attention and special treatment needed

**Treatment:** Treat symptomatically.

#### 5. Fire-fighting measures

|   |  |
|---|--|
| <b>General Fire Hazards:</b>                      | No unusual fire or explosion hazards noted.  |
| <b>Extinguishing media</b>                        |  |
| <b>Suitable extinguishing media:</b>              | Use water spray, dry chemical or foam for extinction. CO <sub>2</sub> may be ineffective on large fires. |
| <b>Unsuitable extinguishing media:</b>            | Not determined.  |
| <b>Specific hazard arising from the chemical:</b> | See section 10 for additional information.   |

**Advice for firefighters**

**Special fire fighting procedures:**

Thermoplastic polymers can burn. Protect product from flames; maintain proper clearance when using heat devices, etc. Irritating or toxic substances will be emitted upon burning, combustion or decomposition. Large masses of molten polymer held at elevated temperatures for extended periods of time may auto-ignite.

**Special protective equipment for fire-fighters:**

Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots.

## 6. Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. See Section 8 of the SDS for Personal Protective Equipment.

**Environmental Precautions:**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

**Methods and material for containment and cleaning up:**

Pick up free solid for recycle and/or disposal.

**Reference to other sections:**

See sections 8 and 13 for additional information.

## 7. Handling and Storage:

**Precautions for safe handling:**

Contact with heated material may cause thermal burns. Wash thoroughly after handling. Refer to Processing Guide and/or contact your local Technical Service representative for melt processing temperature range. For most thermoplastic polyurethanes, melt processing is in the range of 177 - 232 deg. C (350 - 450 deg. F), however, some products may process at different temperatures. Heating above the maximum handling temperature can generate hazardous decomposition products (see Section 10).

Fume condensates may include hazardous contaminants from additives. Condensate may be combustible and should be periodically removed from exhaust hoods, ductwork, and other surfaces. Impervious gloves should be worn during cleanup operations to prevent skin contact.

Post thermal processing activities necessary to produce molded articles (such as cutting, sanding, sawing, grinding, drilling, or regrinding) may create dust or "fines." Powders, dust, and/or fines may

pose a dust explosion hazard. Avoid breathing dust.

Loading and unloading operations may cause nuisance dust to form. Electrostatic buildup may occur when pouring or transferring this product from its container. The spark produced may be sufficient to ignite vapors of flammable liquids. Always transfer product by means which avoid static buildup. Avoid pouring product directly from its container into combustible or flammable solvent.

Conduct any operations emitting fumes or vapors (including thermo- forming, heat joining, cutting and or sealing of articles and clean up) under well-ventilated conditions. Avoid breathing process vapors. Do not hold product for extended periods of time at elevated temperatures or allow thick masses of hot polymer to accumulate because they can decompose emitting hazardous gasses. Do not taste, swallow, or chew products. Wash thoroughly after processing. Do not store or consume food in processing areas. The major off-gasses from normal melt processing are expected to be water vapor and carbon dioxide. Other trace volatile organic components may also be emitted.

**Maximum Handling Temperature:**

260 °C

**Conditions for safe storage, including any incompatibilities:**

Store in dry, well ventilated place away from sources of heat and direct sunlight. Store away from incompatible materials. See section 10 for incompatible materials.

**Maximum Storage Temperature:**

Not determined.

## 8. Exposure Controls/Personal Protection

**Control Parameters:**

**Occupational Exposure Limits**

None of the components have assigned exposure limits.

**Appropriate engineering controls:**

Thermal processing operations should be ventilated to control gases and fumes given off during processing. No special requirements under ordinary conditions of use and with adequate ventilation.

**Individual protection measures, such as personal protective equipment**

**General information:**

Use personal protective equipment as required.

**Eye/face protection**

If contact is likely, safety glasses with side shields are recommended.

**Skin Protection**

**Hand Protection:**

To avoid burns from contact with molten product,

use thermal insulating gloves. Suitable gloves can be recommended by the glove supplier.

**Other:**

Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material. Long sleeve shirt is recommended.

**Respiratory Protection:**

Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Cutting operations may create small particles from this product. If inhalation of particles cannot be avoided, wear a dust respirator. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

**Hygiene measures:**

Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties Appearance

|                        |             |
|------------------------|-------------|
| <b>Physical state:</b> | Solid       |
| <b>Form:</b>           | Sheets      |
| <b>Color:</b>          | Transparent |

|                                  |                   |
|----------------------------------|-------------------|
| <b>Odor:</b>                     | Odorless          |
| <b>Odor Threshold:</b>           | No data available |
| <b>PH:</b>                       | No data available |
| <b>Melting Point:</b>            | No data available |
| <b>Boiling Point:</b>            | No data available |
| <b>Flash Point:</b>              | No data available |
| <b>Evaporation Rate:</b>         | No data available |
| <b>Flammability(solid, gas):</b> | No data available |

### Upper/lower limit on flammability or explosive limits

|  |                    |
|--|--------------------|
| <b>Flammability Limit - Upper (%):</b> | No data available. |
| <b>Flammability Limit - Lower (%):</b> | No data available. |

|                               |                    |
|-------------------------------|--------------------|
| <b>Vapor pressure:</b>        | No data available. |
| <b>Vapor density (air=1):</b> | No data available. |
| <b>Relative density:</b>      | >1.1 (20 °C)       |
| <b>Solubility(ies)</b>        |                    |

|                             |                    |
|-----------------------------|--------------------|
| <b>Solubility in Water:</b> | Insoluble in water |
| <b>Solubility (other):</b>  | No data available. |

|   |                    |
|---|--------------------|
| <b>Partition coefficient (n-octanol/water):</b> | No data available. |
| <b>Autoignition Temperature:</b>                | No data available. |
| <b>Decomposition Temperature:</b>               | No data available. |
| <b>Viscosity:</b>                               | No data available. |
| <b>Explosive properties:</b>                    | No data available. |
| <b>Oxidizing properties:</b>                    | No data available. |
| <b>Pour Point Temperature:</b>                  | No data available. |
| <b>Other information</b>                        | No data available. |

|                      |                   |
|----------------------|-------------------|
| <b>Bulk density:</b> | No data available |
|----------------------|-------------------|

## 10. Stability and Reactivity

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.  |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions  |
| <b>Possibility of hazardous reactions:</b> | Will not occur.   |
| <b>Conditions to avoid:</b>                | Not determined.   |
| <b>Incompatible Materials:</b>             | None known, avoid contact with reactive chemicals.  |
| <b>Hazardous Decomposition Products:</b>   | May also include isocyanates and small amounts of hydrogen cyanide. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide nitrogen oxides, and other products of incomplete combustion. |

## 11. Toxicological Information

### Information on likely routes of exposure

|                      |                    |
|----------------------|--------------------|
| <b>Inhalation:</b>   | No data available. |
| <b>Ingestion:</b>    | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye Contact:</b>  | No data available. |

### Information on toxicological effects Acute toxicity

#### Acute toxicity

##### Oral

|                 |  |
|-----------------|--|
| <b>Product:</b> | May cause irritation of the gastrointestinal tract. Not classified for acute toxicity based on available data. |
|-----------------|--|

##### Dermal

|                 |  |
|-----------------|--|
| <b>Product:</b> | Not classified for acute toxicity based on available data. |
|-----------------|--|

##### Inhalation

|                 |   |
|-----------------|---|
| <b>Product:</b> | Overexposure to vapors or mist may cause dizziness, headache, nausea, and/or flu-like symptoms. Persons with sensitive airways (e.g., asthmatics) may react to vapors. Not classified for acute toxicity based on available data. |
|-----------------|---|

##### Skin Corrosion/Irritation:

|                 |   |
|-----------------|---|
| <b>Product:</b> | Remarks: Contact with heated material may cause thermal burns. Pre-existing skin conditions may be aggravated by prolonged or repeated exposure. Not classified as a primary skin irritant. |
|-----------------|---|

#### Serious Eye Damage/Eye Irritation:

|                                   |   |
|-----------------------------------|---|
| <b>Product:</b>                   | Remarks: Not classified as a primary eye irritant.  |
| <b>Respiratory sensitization:</b> |   |
| <b>Product:</b>                   | Remarks: Under decomposition conditions, isocyanates may be generated from this product. Isocyanates can cause skin sensitization and/or respiratory sensitization. |

#### Skin sensitization:

|                              |  |
|------------------------------|--|
| <b>Nonylphenol phosphite</b> | Remarks: Category 1<br>Classification: May cause sensitization by skin contact. (Literature) |
|------------------------------|--|

|  |                   |
|--|-------------------|
| <b>Specific Target Organ Toxicity - Single Exposure:</b> | No data available |
|--|-------------------|

|                           |                   |
|---------------------------|-------------------|
| <b>Aspiration Hazard:</b> | No data available |
|---------------------------|-------------------|

#### Chronic Effects

|                                |                   |
|--------------------------------|-------------------|
| <b>Carcinogenicity:</b>        | No data available |
| <b>Germ Cell Mutagenicity:</b> | No data available |

|  |                   |
|--|-------------------|
| <b>Reproductive toxicity:</b>                              | No data available |
| <b>Specific Target Organ Toxicity - Repeated Exposure:</b> | No data available |

### 12. Ecological Information

#### Ecotoxicity

|  |                   |
|--|-------------------|
| <b>Fish</b>                                | No data available |
| <b>Aquatic Invertebrates</b>               | No data available |
| <b>Toxicity to Aquatic Plants</b>          | No data available |
| <b>Toxicity to soil dwelling organisms</b> | No data available |
| <b>Sediment Toxicity</b>                   | No data available |
| <b>Toxicity to Terrestrial Plants</b>      | No data available |
| <b>Toxicity to Above-Ground Organisms</b>  | No data available |
| <b>Toxicity to microorganisms</b>          | No data available |

#### Persistence and Degradability

|                       |                   |
|-----------------------|-------------------|
| <b>Biodegradation</b> | No data available |
|-----------------------|-------------------|

#### Bioaccumulative potential

|  |                   |
|--|-------------------|
| <b>Bioconcentration Factor (BCF)</b>                     | No data available |
| <b>Partition Coefficient n-octanol / water (log Kow)</b> | No data available |
| <b>Mobility</b>  | No data available |

#### Other adverse effects

|                 |  |
|-----------------|--|
| <b>Product:</b> | Harmful to aquatic life with long lasting effects. |
|-----------------|--|

### 13. Disposal Considerations

**Disposal instructions:**

Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue which may exhibit hazards of product.

**Contaminated Packaging:**

Container packaging may exhibit hazards.

## 14. Transport Information

**IATA**

Not regulated.

**IMDG**

Not regulated.

**Transport in bulk according to Annex II of MARPOL and the IBC Code**

None known.

Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

## 15. Regulatory Information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**Inventory Status**

**Australia (AICS)**

This product contains a substance that is not listed on the Australia Inventory of Chemical Substances.

**Canada (DSL/NDL)**

Requires notification in Canada. Research and development samples must comply with CEPA R&D requirements.

**China (IECSC)**

This product contains a substance or polymer that has been notified and is restricted to import by the notifier.

**European Union (REACH)**

To obtain information on the REACH compliance status of this product, please e-mail [REACH@SDSInquiries.com](mailto:REACH@SDSInquiries.com).

**Japan (ENCS)**

All components are in compliance with the Chemical Substances Control Law of Japan.

**Korea (ECL)**

This product contains a substance or polymer that has been notified and is restricted to import by the notifier.

**New Zealand (NZIoC)**

This product requires notification before sale in New Zealand.

**Philippines (PICCS)**

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).



Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)

All substances contained in this product are in compliance with section 5 of TSCA or are exempt. This product contains one or more polymers manufactured under the polymer exemption rule.

*The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.*

## 16. Other Information

**Other information:**

Contact supplier (See Section 1)

**Issue Date:**

09.04.2022

**Disclaimer:**

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate, but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.